

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

#### 1. Identification

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use:

Transmission Fluid

**Restrictions on use:**Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

305 Micro Drive

importer, or other responsible party:

Jonestown, PA 17038

**Drydene Performance Products** 

Phone number: 1-877-DRYDENE

**E-mail address:** sds@drydenelubricants.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Residual oils, petroleum, solvent-refined	No data available	64742-01-4	60 - 90
Zinc alkyldithiophosphate	No data available	68649-42-3	0.5 - 1.5
Phenol, 4-dodecyl-	No data available	104-43-8	0.1 - 1

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

#### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen. If not breathing, give artificial respiration and have a

trained individual administer oxygen and get medical attention

immediately.

**Eye Contact:** None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical

attention immediately. Provide medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

None Known

Indication of immediate medical attention and special treatment

needed, if necessary:

Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to

cause aspiration.

### 5. Fire-fighting measures

#### Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

No data available

Hazardous combustion products: Carbon monoxide, Smoke

Special protective equipment and

precautions for fire-fighters:

No data available

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

### 7. Handling and storage

**Precautions for safe handling:** Harmful or irritating material. Avoid contacting and avoid breathing the

material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk

product transfer. No data available

Conditions for safe storage, including

any incompatibilities:

**Safe storage conditions:** Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

### 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available				

**Appropriate engineering controls:** 

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None

required where adequate ventilation is provided. If airborne

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Eye protection:** No special requirements under normal industrial use.

**Skin protection:** Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves: Neoprene, Nitrile

**General hygiene conditions:** No data available

### 9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Brown
Odor: Mild

Odor Threshold: Not determined PH: No data available

Melting point/freezing point:

Melting Point:No data availableFreezing point:No data available

Initial boiling point and boiling range 150

(°C):

Flash Point (°C): 218

**Evaporation Rate:**No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Not established

Lower flammability or explosive

limits:

Not established

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 **Revision Date:** 08-29-2017

**Replaces:** 

Vapor pressure: No data available No data available Vapor density:

0.89 **Relative density:** 

Solubility(ies): Negligible; 0-1% Partition coefficient: n-octanol/water: No data available **Auto-ignition temperature:** No data available Not determined **Decomposition Temperature:** 

Viscosity: 212.6 Volatile organic compound (VOC) 0.000000

content and percentage of volatiles:

### 10. Stability and reactivity

Reactivity:

**Chemical stability:** Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid (e.g., static discharge, shock, or vibration): Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

**Incompatible materials:** Strong oxidizing agents

**Hazardous decomposition products:** Carbon monoxide, Smoke

### 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

No data available

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

None Known

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

**Ingestion Toxicity:** Although this product has a low order of acute oral toxicity, aspiration of

minute amounts into the lungs during ingestion or vomiting may cause

mild to severe pulmonary injury and possibly death.

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

**Skin Contact:** This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

**Absorption:** Likely to be practically non-toxic based on animal data.

Inhalation Toxicity: Harmful! Can cause systemic damage (see "Target Organs"). Likely to be

practically non-toxic based on animal data.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

Sensitization: No data available

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

**Other information:** This product contains a component which caused organ effects (adrenal,

thyroid, livery, ovary, testes, and bone marrow) and blood cell formation effects when given orally to rats at high, repeated daily doses. It also caused adverse reproductive effects in experimental animals. When pregnant rats orally were given high, repeated daily doses of this compound, they gave birth to pups with cleft palate and skeletal

malformations.

### Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Residual oils, petroleum, solvent-refined	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 2.18 mg/L

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 **Revision Date:** 08-29-2017

Replaces:

### 12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):

### **Ecological Toxicity Data:**

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Zinc alkyldithiophosphate				96 HR LC50
				PIMEPHALES
			No data available	PROMELAS 10 - 35
	68649-42-3	48 HR EC50 DAPHNIA MAGNA		MG/L [SEMI-
				STATIC]
		1 - 1.5 mg/L		96 HR LC50
				PIMEPHALES
				PROMELAS 1 - 5
				MG/L [STATIC]
Residual oils, petroleum,	64742-01-4	> 1000 mg/L	No data available	Aquatic LC50 (96h)
solvent-refined	04/42-01-4	> 1000 Hig/L	INO Gata available	> 5000 mg/L

Persistence and degradability: Biodegrades slowly.

**Bioaccumulative potential:** Bioconcentration is expected to occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

No data available

### 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated

Spent or discarded material is non-hazardous according to environmental regulations.

packaging:

**Contaminated packaging:** Recycle containers whenever possible.

### 14. Transport information

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

Carriage of dangerous goods by road (DOT), rail or inland waterways:

**DOT Basic Description:**Not classified as hazardous for transport (DOT, TDG, IMO/IMDG,

IATA/ICAO).

International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

**UN number:** Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II

of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with

in connection with transport or

conveyance either within or outside

their premises:

No data available

### 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** All components of this material are on the US TSCA Inventory or are

exempt.

#### **Regulated Components:**

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Residual oils, petroleum, solvent-	64742-01-4	N	N	N	N

**Product identifier used on the label: DRYDENE** TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

refined					
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Zinc alkyldithiophosphate	68649-42-3	N	N	N	N
Phenol, 4-dodecyl-	104-43-8	N	N	N	N

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Residual oils, petroleum, solvent- refined	64742-01-4	N	N	N	Z
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Zinc alkyldithiophosphate	68649-42-3	N	N	N	N
Phenol, 4-dodecyl-	104-43-8	N	N	N	N

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Residual oils, petroleum, solvent- refined	64742-01-4	N	N	N	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N	N
Zinc alkyldithiophosphate	68649-42-3	N	N	N	N	N
Phenol, 4-dodecyl-	104-43-8	N	N	N	N	N

### 16. Other information, including date of preparation or last revision.

SDS Prepared by: DSTOVER
Revision Date: 08-29-2017

Product identifier used on the label: DRYDENE TRANSALL TDTO-4 50W

Stock Number: D45050 Revision Date: 08-29-2017

**Replaces:** 

Revision Number: 1.1

**Reason for revision:** PRODUCT NAME AND PART NUMBER CHANGE.

**References:** No data available **Other Info:** No data available

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.